RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	<u>/0/570,0/0</u>
Source:	
Date Processed by STIC:	3/8/06
•	

ENTERED

CRF Errors Edited by the STIC Systems Branch

Serial :	Number: 10/570,0/0	CRF Edit Date: 3/13/06 Edited by:
	Realigned nucleic acid/amino acid numbers/text text "wrapped" to the next line	in cases where the sequence
	Corrected the SEQ ID NO. Sequence numbers of	edited were:
	Inserted or corrected a nucleic number at the en NO's edited:	d of a nucleic line. SEQ ID
_	Deleted: invalid beginning/end-of-file text;	page numbers
	Inserted mandatory headings/numeric identifier	rs, specifically:
	Moved responses to same line as heading/numer	ic identifier, specifically:
	Other:	

Revised 09/09/2003



DATÉ: 03/13/2006

IFWP

```
PATENT APPLICATION: US/10/570,010
                                                             TIME: 14:52:09
                     Input Set : A:\PTO.AMC.txt
                     Output Set: N:\CRF4\03132006\J570010.raw
     3 <110> APPLICANT: Minerva Biotechnologies Corporation
             BAMDAD, Cynthia, C.
     6 <120> TITLE OF INVENTION: Techniques and Compositions for the Diagnosis and Treatment
of
              Cancer (MUC1)
     9 <130> FILE REFERENCE: 13150-70089US
C--> 11 <140> CURRENT APPLICATION NUMBER: US/10/570,010
C--> 11 <141> CURRENT FILING DATE: 2006-02-27
    11 <150> PRIOR APPLICATION NUMBER: PCT/US2004/027954
    12 <151> PRIOR FILING DATE: 2004-08-26
    14 <150> PRIOR APPLICATION NUMBER: US 60/498,260
    15 <151> PRIOR FILING DATE: 2003-08-26
    17 <160> NUMBER OF SEQ ID NOS: 66
    19 <170> SOFTWARE: PatentIn version 3.3
    21 <210> SEO ID NO: 1
    22 <211> LENGTH: 39
    23 <212> TYPE: PRT
    24 <213> ORGANISM: Artificial Sequence
    26 <220> FEATURE:
    28 <223> OTHER INFORMATION: Synthetic Peptide
    30 <400> SEQUENCE: 1
    32 Gly Thr Ile Asn Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys
                        5
                                            10
    35 Thr Glu Ala Ala Ser Pro Tyr Asn Leu Thr Ile Ser Asp Val Ser Val
    36
                    20
                                        25
    38 Ser His His His His His
    39
               35
    42 <210> SEQ ID NO: 2
    43 <211> LENGTH: 51
    44 <212> TYPE: PRT
    45 <213> ORGANISM: Artificial Sequence
    47 <220> FEATURE:
    49 <223> OTHER INFORMATION: Synthetic Peptide
    51 <400> SEQUENCE: 2
    53 Gly Thr Ile Asn Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys
    56 Thr Glu Ala Ala Ser Pro Tyr Asn Leu Thr Ile Ser Asp Val Ser Val
                    20
                                        25
    59 Ser Asp Val Pro Phe Pro Phe Ser Ala Gln Ser Gly Ala His His His
               35
                                    40
    63 His His His
    64
           50
    67 <210> SEQ ID NO: 3
```

RAW SEQUENCE LISTING

68 <211> LENGTH: 54

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\03132006\J570010.raw

69 <212> TYPE: PRT 70 <213> ORGANISM: Artificial Sequence 72 <220> FEATURE: 74 <223> OTHER INFORMATION: Synthetic Peptide 76 <400> SEQUENCE: 3 78 Val Gln Leu Thr Leu Ala Phe Arg Glu Gly Thr Ile Asn Val His Asp 81 Val Glu Thr Gln Phe Asn Gln Tyr Lys Thr Glu Ala Ala Ser Pro Tyr 20 25 84 Asn Leu Thr Ile Ser Asp Val Ser Val Ser Asp Val Pro Phe Pro Phe 40 87 His His His His His 88 50 91 <210> SEQ ID NO: 4 92 <211> LENGTH: 31 93 <212> TYPE: PRT 94 <213> ORGANISM: Artificial Sequence 96 <220> FEATURE: 98 <223> OTHER INFORMATION: Synthetic Peptide 100 <400> SEQUENCE: 4 102 His His His His His Gly Phe Leu Gly Leu Ser Asn Ile Lys Phe 5 105 Arg Pro Gly Ser Val Val Gln Leu Thr Leu Ala Phe Arg Glu 20 30 106 25 109 <210> SEO ID NO: 5 110 <211> LENGTH: 46 111 <212> TYPE: PRT 112 <213> ORGANISM: Artificial Sequence 114 <220> FEATURE: 116 <223> OTHER INFORMATION: Synthetic Peptide 118 <400> SEQUENCE: 5 120 Pro Asp Thr Arg Pro Ala Pro Gly Ser Thr Ala Pro Pro Ala His Gly 124 Val Thr Ser Ala Pro Asp Thr Arg Pro Ala Pro Gly Ser Thr Ala Pro 20 25 127 Pro Ala His Gly Val Thr Ser Ala His His His His His 128 35 40 131 <210> SEQ ID NO: 6 132 <211> LENGTH: 33 133 <212> TYPE: PRT 134 <213> ORGANISM: Artificial Sequence 136 <220> FEATURE: 138 <223> OTHER INFORMATION: Synthetic Peptide 140 <400> SEQUENCE: 6 142 Gly Thr Ile Asn Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys 10 145 Thr Glu Ala Ala Ser Pro Tyr Asn Leu Thr Ile Ser Asp Val Ser Val 146 20 25

148 Ser

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\03132006\J570010.raw

152 <210> SEQ ID NO: 7 153 <211> LENGTH: 45 154 <212> TYPE: PRT 155 <213> ORGANISM: Artificial Sequence 157 <220> FEATURE: 159 <223> OTHER INFORMATION: Synthetic Peptide 161 <400> SEQUENCE: 7 163 Gly Thr Ile Asn Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys 10 166 Thr Glu Ala Ala Ser Pro Tyr Asn Leu Thr Ile Ser Asp Val Ser Val 20 25 169 Ser Asp Val Pro Phe Pro Phe Ser Ala Gln Ser Gly Ala 35 170 173 <210> SEQ ID NO: 8 174 <211> LENGTH: 25 175 <212> TYPE: PRT 176 <213> ORGANISM: Homo sapiens 178 <400> SEQUENCE: 8 180 Gly Phe Leu Gly Leu Ser Asn Ile Lys Phe Arg Pro Gly Ser Val Val 5 10 183 Val Gln Leu Thr Leu Ala Phe Arg Glu 20 184 186 <210> SEQ ID NO: 9 187 <211> LENGTH: 40 188 <212> TYPE: PRT 189 <213> ORGANISM: Homo sapiens 191 <400> SEQUENCE: 9 193 Pro Asp Thr Arg Pro Ala Pro Gly Ser Thr Ala Pro Pro Ala His Gly 196 Val Thr Ser Ala Pro Asp Thr Arg Pro Ala Pro Gly Ser Thr Ala Pro 197 20 25 199 Pro Ala His Gly Val Thr Ser Ala 200 35 203 <210> SEQ ID NO: 10 204 <211> LENGTH: 1255 205 <212> TYPE: PRT 206 <213> ORGANISM: Homo sapiens 208 <400> SEQUENCE: 10 210 Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr 213 Val Leu Thr Val Val Thr Gly Ser Gly His Ala Ser Ser Thr Pro Gly 216 Gly Glu Lys Glu Thr Ser Ala Thr Gln Arg Ser Ser Val Pro Ser Ser 217 40 219 Thr Glu Lys Asn Ala Val Ser Met Thr Ser Ser Val Leu Ser Ser His 55 222 Ser Pro Gly Ser Gly Ser Ser Thr Thr Gln Gly Gln Asp Val Thr Leu 70

225 Ala Pro Ala Thr Glu Pro Ala Ser Gly Ser Ala Ala Thr Trp Gly Gln

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\03132006\J570010.raw

226					85					90					95	
	Asp	Val	Thr	Ser		Pro	Val	Thr	Ara		Δla	Len	Glv	Ser		Thr
229	1101	var		100	vu_		vui		105					110		
	Pro	Pro	Δla		Asn	Val	Thr	Ser		Pro	Asp	Asn	Lvs		Ala	Pro
232	110	110	115		тор	·uı		120			1100		125			
	Gly	Sar		Δla	Pro	Pro	Δla		Glv	Val	Thr	Ser		Pro	Asn	Thr
235	Gry	130	1111	нια	FIO	FIO	135	1113	Gry	Vai	1111	140	ΠIQ	110	пор	****
	Arg		ת 1 ת	Dro	Clv	Car		בות	Dro	Dro	Δ] =		Glv	Val	Thr	Ser
	145	FIO	ліа	110	Gry	150	1111	nια	110	110	155	111.5	Cry	vai	1111	160
	Ala	Dro	Nen	Thr	Λrα		ΔΊΞ	Pro	Glv	Sar		Δla	Dro	Pro	Δla	
241	ALG	110	АЗР	1111	165	110	AIU	110	OLY	170	1111	2114	110	110	175	1110
	Gly	Ta1	Thr	Ser		Pro	Aen	Thr	Δrα		Δla	Pro	Glv	Ser		Ala
244	Gry	vai	1111	180	AIU	110	лор	1111	185	110	niu	110	O ₁	190	****	1114
	Pro	Dro	Δla		Glv	Va 1	Thr	Sar		Dro	Δen	Thr	Δra		Δla	Pro
247	110	rio	195	1113	GLY	Val	1111	200	ALU	110	пор	1111	205	110	1114	110
	Gly	Ser		Δla	Pro	Pro	Δla		Glv	Val	Thr	Ser		Pro	Asn	Thr
250	Gry	210	1111	лта	FIO	FIO	215	1113	Gry	vai	1111	220	ALU	110	7100	1111
	Arg		ב [ת	Dro	Gl v	Sar		בומ	Dro	Dro	Δla		Glv	Val	Thr	Ser
	225	FIO	Ата	FIO	СТУ	230	1111	Αια	110	110	235	1113	Cly	vai	1111	240
	Ala	Pro	Aen	Thr	Δra		Δla	Pro	Glv	Ser		Δla	Pro	Pro	Δla	
256	Αια	110	тэр	1111	245	110	nια	110	Ory	250	1111	mu	110	110	255	1110
	Gly	Ual	Thr	Ser		Pro	Δen	Thr	Δra		Δla	Pro	Glv	Ser		Δla
259	Gry	Val	1111	260	AΙα	110	nop	1111	265	110	niu	110	O± y	270		1114
	Pro	Dro	Δla		Glv	Val	Thr	Ser		Pro	Asn	Thr	Δra		Δla	Pro
262	rio	110	275	1113	Gry	Vai	1111	280	nia	110	пор	1111	285	110	7.1-U	110
	Gly	Sar		Δla	Pro	Pro	Δla		Glv	va 1	Thr	Ser		Pro	Asn	Thr
265	GIY	290	1111	niu	110	110	295	1115	OLY	vai	1111	300	1114	110	1101	
	Arg		Δla	Dro	Gl v	Sor		Δla	Pro	Pro	Δla		Glv	Val	Thr	Ser
	305	110	nau	110	O _T	310	****	1114	110	110	315		0_1			320
	Ala	Pro	Asn	Thr	Ara		Δla	Pro	Glv	Ser		Δla	Pro	Pro	Ala	
271					325					330					335	
	Gly	٧al	Thr	Ser		Pro	Asp	Thr	Ara		Ala	Pro	Glv	Ser		Ala
274	1			340					345				1	350		
	Pro	Pro	Ala		Glv	Val	Thr	Ser	-	Pro	Asp	Thr	Ara	Pro	Ala	Pro
277			355		2	-		360			_		365			
279	Gly	Ser		Ala	Pro	Pro	Ala		Glv	Val	Thr	Ser	Ala	Pro	Asp	Thr
280	2	370					375		1			380			-	
	Arg		Ala	Pro	Glv	Ser		Ala	Pro	Pro	Ala		Glv	Val	Thr	Ser
	385				1	390					395		- 4			400
	Ala	Pro	Asp	Thr	Arq		Ala	Pro	Gly	Ser		Ala	Pro	Pro	Ala	His
286					405				2	410					415	
	Gly	Val	Thr	Ser	Ala	Pro	Asp	Thr	Arq	Pro	Ala	Pro	Gly	Ser	Thr	Ala
289	•			420			•		425				-	430		
	Pro	Pro	Ala	His	Gly	Val	Thr	Ser	Ala	Pro	Asp	Thr	Arg	Pro	Ala	Pro
292			435		-			440			-		445			
	Gly	Ser		Ala	Pro	Pro	Ala		Gly	Val	Thr	Ser	Ala	Pro	Asp	Thr
295	4	450					455		-			460			-	
	Arg		Ala	Pro	Gly	Ser		Ala	Pro	Pro	Ala	His	Gly	Val	Thr	Ser
	465				-	470					475		_			480

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\03132006\J570010.raw

	Ala	Pro	Asp	Thr	Arg 485	Pro	Ala	Pro	Gly	Ser 490	Thr	Ala	Pro	Pro	Ala 495	His
301 303	Gly	Val	Thr	Ser		Pro	Asp	Thr	Arq		Ala	Pro	Gly	Ser		Ala
304	-			500			-		505				_	510		
307	Pro	Pro	Ala	His	Gly	Val	Thr	Ser	Ala	Pro	Asp	Thr	Arg	Pro	Ala	Pro
308			515					520					525			
310	Gly		Thr	Ala	Pro	Pro		His	Gly	Val	Thr		Ala	Pro	Asp	Thr
311		530		_	~-7	_	535		_	_		540	~ 1		ml	0
	Arg	Pro	Ala	Pro	GIY		Thr	Ala	Pro	Pro		His	GIĀ	vaı	Tnr	560
	545 Ala	Dro	7 cn	Thr	Λrα	550 Pro	בות	Dro	Glv	Sar	555	בומ	Pro	Pro	Δla	
317	AIa	FIO	лэр	1111	565	110	AΙα	110	Gry	570	1111	nia	110	110	575	
	Gly	Val	Thr	Ser		Pro	Asp	Thr	Arq		Ala	Pro	Gly	Ser		Ala
320	1			580					585				_	590		
322	Pro	Pro	Ala	His	Gly	Val	Thr	Ser	Ala	Pro	Asp	Thr	Arg	Pro	Ala	Pro
323			595					600					605			
325	Gly	Ser	Thr	Ala	Pro	Pro		His	Gly	Val	Thr		Ala	Pro	Asp	Thr
326		610		_	_	_	615		_	_		620	~ 7		1	_
	Arg	Pro	Ala	Pro	GIY		Thr	Ala	Pro	Pro		His	GIY	vai	Tnr	
	625 Ala	Dwo	7 ~~	mb ~	7 ~~~	630	ח ד ת	Dro	C1	Cor	635	ת [ת	Dro	Dro	ת 1 ת	640
332		PIO	Asp	1111	645	PIO	Ala	PIO	GIY	650	1111	Ата	PIO	FIU	655	птэ
	Gly	Val	Thr	Ser		Pro	Asp	Thr	Ara		Ala	Pro	Glv	Ser		Ala
335				660					665				1	670		
	Pro	Pro	Ala	His	Gly	Val	Thr	Ser	Ala	Pro	Asp	Thr	Arg	Pro	Ala	Pro
338			675					680					685			
340	Gly	Ser	Thr	Ala	Pro	Pro	Ala	His	Gly	Val	Thr	Ser	Ala	Pro	Asp	Thr
341		690	_				695		_	_		700			_,	_
	Arg	Pro	Ala	Pro	Gly		Thr	Ala	Pro	Pro		His	GIY	Val	Thr	
	705 Ala	Dro	7 an	The	7 ~~~	710	77.7	Dro	C1.,	Cor	715	777	Dro	Dro	Nlο	720 His
340		PIO	Asp	1111	725	PIO	Ala	PIO	GIY	730	1111	Ата	PIO	FIO	735	1112
	Gly	Val	Thr	Ser		Pro	Asp	Thr	Ara		Ala	Pro	Glv	Ser		Ala
350	_			740			P		745				2	750		
352	Pro	Pro	Ala	His	Gly	Val	Thr	Ser	Ala	Pro	Asp	Thr	Arg	Pro	Ala	Pro
353			755					760					765			
355	Gly	Ser	Thr	Ala	Pro	Pro	Ala	His	Gly	Val	Thr		Ala	Pro	Asp	Thr
356		770			_		775	_				780				_
	Arg	Pro	Ala	Pro	Gly		Thr	Ala	Pro	Pro		His	Gly	Val	Thr	
	785	D	7	ml	7	790	77-	D	~1	Com	795	. ב ב	Dwo	Dro	7.7.	800 Hig
361		Pro	Asp	THE	805	Pro	Ala	PIO	GIY	810	1111	Ala	PIO	PIO	815	His
	Gly	Val	Thr	Ser		Pro	Asn	Thr	Δra		Δla	Pro	Glv	Ser		Ala
365	_	val	1111	820	AIG	110	Map	1111	825		1114	110		830		
	Pro	Pro	Ala		Gly	Val	Thr	Ser		Pro	Asp	Thr	Arq		Ala	Pro
369			835		-			840			-		845			
371	Gly	Ser	Thr	Ala	Pro	Pro	Ala	His	Gly	Val	Thr	Ser	Ala	Pro	Asp	Thr
372		850					855					860				
374	Arg	Pro	Ala	Pro	Gly	Ser	Thr	Ala	Pro	Pro	Ala	His	Gly	Val	Thr	Ser

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\03132006\J570010.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:15; Xaa Pos. 3
Seq#:20; Xaa Pos. 3,12
Seq#:22; Xaa Pos. 8
Seq#:26; Xaa Pos. 5
Seq#:28; Xaa Pos. 12
Seq#:30; Xaa Pos. 15

VERIFICATION SUMMARY

DATE: 03/13/2006 TIME: 14:52:10

PATENT APPLICATION: US/10/570,010

3/10/570,010 TIME: 14:

Input Set : A:\PTO.AMC.txt

Output Set: N:\CRF4\03132006\J570010.raw

L:11 M:270 C: Current Application Number differs, Replaced Current Application No L:11 M:271 C: Current Filing Date differs, Replaced Current Filing Date L:579 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0 L:652 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:0 L:686 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0 L:739 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0 L:766 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0 L:799 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0

Raw Sequence Listing before editing (for reference only)



IFWP

RAW SEQUENCE LISTING

DATE: 03/08/2006

PATENT APPLICATION: US/10/570,010

TIME: 13:14:29

Input Set : A:\13150-70089US.ST25.txt
Output Set: N:\CRF4\03072006\J570010.raw

3 <110> APPLICANT: Minerva Biotechnologies Corporation

4 BAMDAD, Cynthia, C.

6 <120> TITLE OF INVENTION: Techniques and Compositions for the Diagnosis and Treatment

of

7 Cancer (MUC1)

9 <130> FILE REFERENCE: 13150-70089US

C--> 11 <140> CURRENT APPLICATION NUMBER: US/10/570,010

C--> 12 <141> CURRENT FILING DATE: 2006-02-27

14 <150> PRIOR APPLICATION NUMBER: US 60/498,260

15 <151> PRIOR FILING DATE: 2003-08-26

17 <160> NUMBER OF SEQ ID NOS: 66

19 <170> SOFTWARE: PatentIn version 3.3

Does Not Comply Corrected Diskette Needed

ERRORED SEQUENCES

1925 821112.1

```
1899 <210> SEQ ID NO: 66

1900 <211> LENGTH: 57

1901 <212> TYPE: PRT

1902 <213> ORGANISM: Homo sapiens

1904 <400> SEQUENCE: 66

1906 Ser Val Val Val Gln Leu Thr Leu Ala Phe Arg Glu Gly Thr Ile Asn

1907 1 5 10 15

1909 Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys Thr Glu Ala Ala

1910 20 25 30

1912 Ser Pro Tyr Asn Leu Thr Ile Ser Asp Val Ser Val Ser Asp Val Pro

1913 35 40 45

1915 Phe Pro Phe Ser Ala Gln Ser Gly Ala

1916 50 55

E--> 1917 3

E--> 1920 - 1 -
```

file://C:\CRF4\Outhold\VsrJ570010.htm

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/570,010

DATE: 03/08/2006 TIME: 13:14:30

Input Set : A:\13150-70089US.ST25.txt
Output Set: N:\CRF4\03072006\J570010.raw

L:11 M:270 C: Current Application Number differs, Replaced Current Application Number L:12 M:271 C: Current Filing Date differs, Replaced Current Filing Date L:579 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0 L:652 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:0 L:686 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0 L:739 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0 L:766 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0 L:799 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0 L:1917 M:332 E: (32) Invalid/Missing Amino Acid Numbering, SEQ ID:66 M:332 Repeated in SeqNo=66